ELSEVIER

Journal of Affective Disorders 59 (2000) 261–262

JOURNAL OF AFFECTIVE DISORDERS

www.elsevier.com/locate/jad

Contents (Vol. 59)

No. 1 – July 2000

Research Reports

Understanding the heterogeneity of depression through the triad of symptoms, course and risk factors: a longitudinal, population-based study
L.-S. Chen, W.W. Eaton, J.J. Gallo, G. Nestadt (USA) 1

Minor depressive disorder in the context of miscarriage
C.M. Klier, P.A. Geller, R. Neugebauer (Austria, USA) 13

Reconfirming the role of life events for the timing of depressive episodes. A two-year prospective follow-up study
C. Mundt, C. Reck, M. Backenstrass, K. Kronmüller, P. Fiedler (Germany) 23

Psychosocial correlates of prepartum and postpartum depressed mood
D. Da Costa, J. Larouche, M. Dritsa, W. Brender (Canada) 31

Seasonality of birth in patients with mood disorders in Japan
Y. Mino, I. Oshima, K. Okagami (Japan) 41

Seasonality, social zeitgebers and mood variability in entrainment of mood. Implications for seasonal affective disorder
S. Reid, A.D. Towell, J.F. Golding (UK) 47

Brief Reports

Pretreatment plasma HVA and haloperidol response in acute mania
J.C.-Y. Chou, P. Czobor, I. Tuma, O. Charles, R. Bebe, T.B. Cooper, W.-H. Chang, H.-Y. Lane, D.L. Stone (USA) 55

Depression in the carers of dementia sufferers: a comparison of the carers of patients suffering from dementia with Lewy Bodies and the carers of patients with Alzheimer's disease
K. Lowery, P. Mynt, J. Aisbett, T. Dixon, J. O'Brien, C. Ballard (UK) 61

Sertraline in the treatment of mixed anxiety and depression disorder
J.L. Carrasco, M. Díaz-Marsá, J. Sáiz-Ruiz (Spain) 67

Preliminary Communications

Pituitary–adrenal function in adolescent psychiatric patients: impact of depressive symptoms
C.C. Gispen-de Wied, L.M.C. Jansen, J.H.M. Duyx, J.H.H. Thijssen, H. van Engeland (The Netherlands) 71

Preliminary evidence of an association between increased REM density and poor antidepressant response to partial sleep deprivation
C. Clark, R. Dupont, S. Golshan, J.C. Gillin, M.H. Rapaport, J.R. Kelsoe (USA) 77

No. 2 – August 2000

Research Reports

Seasonal mood patterns in a northeastern college sample
K.J. Rohan, S.T. Sigmon (USA) 85

Anxiety, depression and psychosis in vascular dementia: prevalence and associations
C. Ballard, D. Neill, J. O'Brien, I.G. McKeith, P. Ince, R. Perry (UK) 97

Suicidal behavior in bipolar mood disorder: clinical characteristics of attempters and nonattempters
M.A. Oquendo, C. Waternaux, B. Brodsky, B. Parsons, G.L. Haas, K.M. Malone, J.J. Mann (USA) 107

Fluoxetine versus sertraline and paroxetine in major depression: tolerability and efficacy in anxious depression
M. Fava, J.F. Rosenbaum, S.L. Hoog, R.G. Tepner, J.B. Kopp, M.E. Nilsson (USA) 119
Risk factors for depression in later life; results of a prospective community based study (AMSTEL)
R.A. Schoevers, A.T.F. Beekman, D.J.H. Deeg, M.I. Geerlings, C. Jonker, W. Van Tilburg (The Netherlands) 127
Age of onset in affective disorder: its correlation with hereditary and psychosocial factors
L. Johnson, G. Andersson-Lundman, A. Åberg-Wistedt, A.A. Mathé (Sweden) 139
The treatment of depression in UK general practice: selective serotonin reuptake inhibitors and tricyclic antidepressants compared
R.A. Lawrenson, F. Tyrer, R.B. Newson, R.D.T. Farmer (UK) 149

Brief Report
Alpha-1-acid glycoprotein in major depressive disorder. Relationships to severity, response to treatment and imipramine plasma levels
E. Nieto, E. Vieta, L. Alvarez, M. Torra, F. Colom, C. Gastó (Spain) 159

Preliminary Communications
A case-control study of tattoos in young suicide victims as a possible marker of risk
D. Dhossche, K.S. Snell, S. Larder (USA, UK) 165
The prolactin response to buspirone in poststroke depression: a preliminary report
L. Sevinçok, A. Erol (Turkey) 169

No. 3 – September 2000

Research Reports
Effects of antidepressant treatments on polymorphonuclear elastase levels in patients with depression
M. Bekaroğlu, O. Değer, S.C. Karahan, M. Bilici, C. Soylu, A. Örem (Turkey) 175
Evaluating the parent-of-origin effect in bipolar affective disorder. Is a more penetrant subtype transmitted paternally?
J.R. Kornberg, J.L. Brown, A.D. Sadovnick, R.A. Remick, P.E. Keck Jr., S.L. McElroy, M.H. Rapaport, P.M. Thompson, J.B. Kaul, C.M. Vrabel, S.C. Schommer, T. Wilson, D. Pizzuco, S. Jameson, L. Schibuk, J.R. Kelsoe (USA, Canada) 183
Nonverbal interpersonal attunement and extravert personality predict outcome of light treatment in seasonal affective disorder
E. Geerts, E. Kouwert, N. Bouhuys, Y. Meesters, J. Jansen (The Netherlands) 193
The relationship between quality of interpersonal relationships and major depressive disorder: findings from the National Comorbidity Survey
C. Zlotnick, R. Kohn, G. Keitner, S.A. Della Grotta (USA) 205
The nature of bipolar depression: implications for the definition of melancholia
G. Parker, K. Roy, K. Wilhelm, P. Mitchell, D. Hadzi-Pavlovic (Australia) 217

Brief Reports
Venlafaxine monotherapy in women with bipolar II and unipolar major depression
J.D. Amsterdam, F. Garcia-España (USA) 225
Rorschach markers in offspring of manic-depressive patients
Y. Osher, B. Mandel, E. Shapiro, R.H. Belmaker (Israel) 231

Preliminary Communications
Coping and medication adherence in bipolar disorder
W.J. Greenhouse, B. Meyer, S.L. Johnson (USA) 237
Correlates of distress in children at risk for affective disorder: exploring predictors in the offspring of depressed and nondepressed mothers
V.L. Malcarne, N.A. Hamilton, R.E. Ingram, L. Taylor (USA) 243

Author Index 253
Subject Index 257
Contents (Vol. 59) 261